

DokuWiki

[DokuWiki](#)

Meine Einstellungen

Aktivierte Plugins

- ACL Manager
- Plain Auth Plugin
- Comment Syntax support
- Configuration Manager
- Dw2Pdf plugin
- edittable plugin
- Extension Manager
- Gallery Plugin
- Move plugin
- Revert Manager
- safefnrecode plugin
- styling plugin
- Translation Plugin
- DokuWiki Upgrade Plugin
- User Manager
- Video Sharing Site Plugin
- Wrap Plugin

SEO

1. Admin → Konfigurations-Manager → Erweitert
 - URL rewriting → .htaccess
 - Schrägstrich (/) als Namensraumtrenner in URLs verwenden → aktivieren
2. .htaccess Datei erstellen mit folgendem Inhalt:

[.htaccess](#)

```
## Enable this to restrict editing to logged in users only

## You should disable Indexes and MultiViews either here or in the
## global config. Symlinks maybe needed for URL rewriting.
#Options -Indexes -MultiViews +FollowSymLinks

## make sure nobody gets the htaccess, README, COPYING or VERSION
files
<Files ~ "^(\\.\\.ht|README$|VERSION$|COPYING$)">
  <IfModule mod_authz_host>
    Require all denied
```

```
</IfModule>
<IfModule !mod_authz_host>
    Order allow,deny
    Deny from all
</IfModule>
</Files>

## Don't allow access to git directories
<IfModule alias_module>
    RedirectMatch 404 /\.git
</IfModule>

## Uncomment these rules if you want to have nice URLs using
## $conf['userrewrite'] = 1 - not needed for rewrite mode 2
RewriteEngine on

RewriteRule ^_media/(.*)          lib/exe/fetch.php?media=$1
[QSA,L]
RewriteRule ^_detail/(.*)         lib/exe/detail.php?media=$1
[QSA,L]
RewriteRule ^_export/([^/]+)/(.*) doku.php?do=export_$1&id=$2
[QSA,L]
RewriteRule ^$                   doku.php [L]
RewriteCond %{REQUEST_FILENAME}  !-f
RewriteCond %{REQUEST_FILENAME}  !-d
RewriteRule (.*?)                doku.php?id=$1 [QSA,L]
RewriteRule ^index.php$          doku.php

## Not all installations will require the following line. If you
do,
## change "/dokuwiki" to the path to your dokuwiki directory
relative
## to your document root.
RewriteBase /

## If you enable DokuWikis XML-RPC interface, you should consider
to
## restrict access to it over HTTPS only! Uncomment the following
two
## rules if your server setup allows HTTPS.
#RewriteCond %{HTTPS} !=on
#RewriteRule ^lib/exe/xmlrpc.php$
https://%{SERVER_NAME}%{REQUEST_URI} [L,R=301]

# Force www.andreasgiemza.de
RewriteCond %{HTTP_HOST} .
RewriteCond %{HTTP_HOST} !^www\.andreasgiemza\.de [NC]
RewriteRule (.*?) http://www.andreasgiemza.de/$1 [R=301,L]
```

MIME Konfiguration

1. Datei erstellen:

[conf/mime.local.conf](#)

```
js      text/javascript
css     text/css
spk     !application/zip
cfg     !text/plain
```

2. Dateien hochladen:

- lib/images/fileicons:  

- lib/images/fileicons/32x32 („32x32_“ aus Dateinamen entfernen!):  

3. Admin → Konfiguration einmal speichern um die neuen Bilder zu initialisieren.

From:

<http://www.andreasgiemza.de/> - **Andreas' Wiki**

Permanent link:

http://www.andreasgiemza.de/software_handreichungen/dokuwiki?rev=1480595524

Last update: **2016/12/01 13:32**

